

General

Access

- Double doors measuring 1.4m wide by 2m high when both opened
- Secondary door also available onto same corridor (see plan)
- Step free access from car park
- Free parking

Curtains

- Hand drawn blacks on rails around three sides of performance space

Seating

- Approximately 50 x folding chairs on two trolleys

HVAC

- Air conditioning/heating unit permanently mounted

Mains supply

- 16 x 13A sockets distributed around the room

Lighting

Desk: Zero 88 Frog

- 48 channel faders
- 12 submaster faders (x 20 pages)
- 1 DMX universe

Dimming:

- Zero 88 Chili Jr inductive dimmers x 2 (12 channels)
- 36 x 15A outlets distributed via patch panel to internally wired bars throughout the performance space

DMX outlets:

- 5-way DMX repeater distributed to 11 DMX outlets via patch panel
- DMX input sockets x 4 located in four corners of the performance space, individually selectable via patch panel
- 5-pin sockets throughout

House lights:

- Fluorescent strips controlled from switch panels located adjacent to main door and right of the video projection alcove

Fixtures:

- 575W flood with focus x 6
- 300W PAR 56 MFL x 6
- A fairly wide range of Lee Filters gels (saturated colours and correction filters) are kept in stock.

Projection

Projector: Epson EMP S4

- VGA input
- 1.5m square roll down screen



